



## 3600 and 3800 CREMONE BOLTS Mechanical Locks



**SKU:** 3600-3800

**Product Categories:** [DOORS AND LOCKS](#), [Mechanical Locks](#)

**Product Page:**

<https://bestbrothersgroup.com/product/3600-3800-cremone-bolts-mechanical-locks/>

### Product Summary

Standard Features\_\_\_\_\_

■ Series 3600 mechanical operation – Active door unlocks with a half-turn of the key. A full turn of the key in the opposite direction, deadlocks the center latchbolt, which also deadlocks the head and foot bolts.

■ Series 3800 mechanical operation – Active door is operated by a key which deadlocks the deadbolt, head

and foot bolts. Inactive door is operated from its own cylinder which deadlocks head and foot bolts.

■ Lever handle operation - Head and foot bolts are operated by the handles, except when they are in deadlocked condition.

■ Door types - Models available for use with 2" or thicker grille doors plug welded to flat, horizontal bars. In hollow metal doors 1-3/4" thick or more, bolt set mounts in a pocket with head and foot bolt concealed within door. (Specify door thickness when ordering.)

■ Head and foot bolts - 7/8" diameter steel. (Specify overall door opening height when ordering.)

■ Durable case and cover - 7 gauge steel.

■ Corrosion resistance - Working parts are corrosion resistant.

Heavy-duty lever tumbler - 5 spring-temper brass tumblers, activated by heavy phosphor bronze springs. Precision fit to locking fence.

■ Large solid bolt - Zinc plated steel, 2" x 3/4". Flush when retracted.

■ Bolt throw - 3/4" at all three points.

■ Investment-cast key cylinder - One-piece bronze alloy with

paracentric keyway.

■ Rugged lever handles – Steel handles and escutcheons on both sides.

■ Supplied – with head and foot bolts, foot bolt receptacle(s), Escutcheon(s), and necessary mounting screws.

■ Finish – Zinc plated.

## Product Description

### Description\_\_\_\_\_

Series 3600 Cremone Bolt Sets are lever tumbler mechanical deadlocks for single or paired swinging doors. They provide the convenience of slam-locking and the security of a deadlock.

3620 Keyed one side

3660 Keyed both sides

Series 3800 Cremone Bolt Sets are lever tumbler, mechanical deadlocks for single or paired swinging doors.

Cremone bolts provide three-point locking for the active or single door, and five point locking for paired doors.

3820 Keyed one side

3860 Keyed two sides

(see model selection chart on back)

### Applications\_\_\_\_\_

Cremone locks are designed for

maximum security on corridor,  
entrance, or armory doors which may  
be subject to mass attack. Specify for  
use with hollow metal or grille doors.  
Specify handing.